





**450H**


**1 3/4" X 4 1/2" NON-THERMAL  
STOREFRONT DOOR FRAME  
WITH 135H SERIES (MEDIUM STILE)  
DOOR STANDARD DETAILS**




SINGLE DOOR  
WITHOUT TRANSOM  
STANDARD CONFIGURATION



PAIR DOORS  
WITHOUT TRANSOM  
STANDARD CONFIGURATION



SINGLE DOOR  
WITH TRANSOM  
STANDARD CONFIGURATION




PAIR DOORS  
WITH TRANSOM  
STANDARD CONFIGURATION




450H

1 3/4" X 4 1/2" NON-THERMAL  
STOREFRONT DOOR FRAME  
WITH 135H SERIES (MEDIUM STILE)  
DOOR STANDARD DETAILS

\* MINIMUM RECOMMENDED FOR THERMAL ISOLATION.  
INCREASE AS REQUIRED TO COMPLY WITH SEALANT  
MANUFACTURERS' INSTRUCTIONS



MULTIPLE PAIR DOORS MULLED TOGETHER  
WITH TRANSOM STANDARD CONFIGURATION









450H

1 3/4" X 4 1/2" NON-THERMAL  
STOREFRONT DOOR FRAME  
WITH 135H SERIES (MEDIUM STILE)  
DOOR STANDARD DETAILS


\* MINIMUM RECOMMENDED FOR THERMAL ISOLATION.  
INCREASE AS REQUIRED TO COMPLY WITH SEALANT  
MANUFACTURERS' INSTRUCTIONS




4




5



7



6




OPT.  
7.1




450H

1 3/4" X 4 1/2" NON-THERMAL  
STOREFRONT DOOR FRAME  
WITH 135H SERIES (MEDIUM STILE)  
DOOR STANDARD DETAILS


\* MINIMUM RECOMMENDED FOR THERMAL ISOLATION.  
INCREASE AS REQUIRED TO COMPLY WITH SEALANT  
MANUFACTURERS' INSTRUCTIONS




8




9



OPT.  
9.1



OPT.  
8.1




OPT.  
9.2




450H

1 3/4" X 4 1/2" NON-THERMAL  
STOREFRONT DOOR FRAME  
WITH 135H SERIES (MEDIUM STILE)  
DOOR STANDARD DETAILS

\* MINIMUM RECOMMENDED FOR THERMAL ISOLATION.  
INCREASE AS REQUIRED TO COMPLY WITH SEALANT  
MANUFACTURERS' INSTRUCTIONS



10



OPT.

10.1